



SAFETY DATA SHEET ARDEX DPM 1 C R Part B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ARDEX DPM 1 C R Part B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Two part epoxy damp proof membrane

1.3. Details of the supplier of the safety data sheet

Supplier Ardex UK Limited
Homefield Road
Haverhill
Suffolk
CB9 8QP
01440 714939

Contact person safetydatasheets@ardex.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 870 190 6777 (24 hours)

National emergency telephone number ROI:- +353 (0)1 809 2166 (available 8am-10pm, 7 days)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Repr. 2 - H361 STOT SE 3 - H335

Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H332 Harmful if inhaled.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

ARDEX DPM 1 C R Part B

trimethylhexane-1,6-diamine	5-10%
CAS number: 25513-64-8	
Classification	
Acute Tox. 4 - H302	
Skin Corr. 1B - H314	
Skin Sens. 1 - H317	
Aquatic Chronic 3 - H412	
Phenol, styrenated	5-10%
CAS number: 61788-44-1	
Classification	
Skin Irrit. 2 - H315	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	
Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	1-5%
CAS number: 68082-29-1	
Classification	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	
BENZYL ALCOHOL	1-5%
CAS number: 100-51-6	EC number: 202-859-9
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H332	
Eye Irrit. 2 - H319	
3-AMINOPROPYLDIMETHYLAMINE	<1%
CAS number: 109-55-7	EC number: 203-680-9
Classification	
Flam. Liq. 3 - H226	
Acute Tox. 4 - H302	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
STOT SE 3 - H335	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

ARDEX DPM 1 C R Part B

Inhalation	Remove affected person from source of contamination. If breathing stops, provide artificial respiration. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	DO NOT induce vomiting. Get medical attention immediately. Rinse mouth thoroughly with water. Give plenty of water to drink.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Continue to rinse for at least 15 minutes. Get medical attention. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information Get medical attention promptly if symptoms occur after washing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire, toxic and corrosive gases may be formed. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

ARDEX DPM 1 C R Part B

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

M-PHENYLENEBIS(METHYLAMINE) (CAS: 1477-55-0)

PNEC Fresh water; 0.94 mg/l
marine water; 0.0094 mg/l

BENZYL ALCOHOL (CAS: 100-51-6)

DNEL Workers - Dermal; Long term : 9.5 mg/kg/day
Workers - Inhalation; Long term : 90 mg/m³

PNEC Fresh water; 1 mg/l
marine water; 0.1 mg/l

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL (CAS: 90-72-2)

DNEL Workers - Inhalation; Short term : 0.31 mg/m³

PNEC Fresh water; 0.84 mg/l
;

3-AMINOPROPYLDIMETHYLAMINE (CAS: 109-55-7)

DNEL Workers - Inhalation; Short term : 9.8 mg/m³

PNEC Fresh water; 0.0535 mg/l
marine water; 0.00535 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

Use protective gloves. It is recommended that gloves are made of the following material: Viton rubber (fluoro rubber). Nitrile rubber. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

ARDEX DPM 1 C R Part B

Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Combination filter, type A2/P2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellowish.
Odour	Amine.
Melting point	Not determined.
Initial boiling point and range	ca. 135°C
Flash point	ca. 86°C
Vapour pressure	0.3 hPa @ °C
Solubility(ies)	Not miscible or difficult to mix.
Auto-ignition temperature	380°C
Viscosity	600 mPa s @ 20°C
Explosive properties	Not considered to be explosive.

9.2. Other information

Other information	No information required.
--------------------------	--------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	No decomposition if used according to specifications.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
---	---

10.4. Conditions to avoid

Conditions to avoid	No further relevant information available.
----------------------------	--

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents.
---------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Poisonous gases/vapours Corrosive gases/vapours
---	---

ARDEX DPM 1 C R Part B

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity - oral**

ATE oral (mg/kg) 2,760.73

Acute toxicity - inhalation

ATE inhalation (gases ppm) 257,142.86

ATE inhalation (vapours mg/l) 11.99

ATE inhalation (dusts/mists
mg/l) 85.71**Toxicological information on ingredients.****4-TERT-BUTYLPHENOL****Acute toxicity - oral**Acute toxicity oral (LD₅₀
mg/kg) 2,951.0

Species Rat

Acute toxicity - dermalAcute toxicity dermal (LD₅₀
mg/kg) 2,288.0

Species Rabbit

M-PHENYLENEBIS(METHYLAMINE)**Acute toxicity - oral**Acute toxicity oral (LD₅₀
mg/kg) 930.0

Species Rat

ATE oral (mg/kg) 930.0

Acute toxicity - dermalAcute toxicity dermal (LD₅₀
mg/kg) 3,100.0

Species Rabbit

Notes (dermal LD₅₀)**Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine****Acute toxicity - oral**Acute toxicity oral (LD₅₀
mg/kg) 2,000.0

Species Rat

Acute toxicity - dermalAcute toxicity dermal (LD₅₀
mg/kg) 2,000.0

ARDEX DPM 1 C R Part B

Species Rat

BENZYL ALCOHOL**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 1,360.0

Species Mouse

ATE oral (mg/kg) 1,360.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rabbit

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 2,169.0

Species Rat

ATE oral (mg/kg) 500.0

3-AMINOPROPYLDIMETHYLAMINE**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 410.0

Species Rat

ATE oral (mg/kg) 410.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 1,200.0

Species Rat

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 24.8

Species Rat

ATE inhalation (vapours mg/l) 24.8

SECTION 12: Ecological information**12.1. Toxicity****Ecological information on ingredients.****4-TERT-BUTYLPHENOL**

ARDEX DPM 1 C R Part B

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: >5.1 mg/l, Pimephales promelas (Fat-head Minnow) LC ₅₀ , 96 hours: >1 mg/l, Oncorhynchus mykiss (Rainbow trout) LC ₅₀ , 48 hours: 1.5 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 4.8 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: <100 mg/l, Selenastrum capricornutum EC ₅₀ , 72 hours: 14 mg/l, Pseudokirchneriella subcapitata
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: 10 mg/l, Activated sludge
<u>Chronic aquatic toxicity</u>	
NOEC	0.01 < NOEC ≤ 0.1
Degradability	Non-rapidly degradable
M factor (Chronic)	1

M-PHENYLENEBIS(METHYLAMINE)

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 87.6 mg/l, Oryzias latipes (Red killifish) LC ₅₀ , 96 hours: >100 mg/l, Oncorhynchus mykiss (Rainbow trout) LC ₅₀ , 96 hours: >100 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 15.2 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 20.3 mg/l, Selenastrum capricornutum

trimethylhexane-1,6-diamine

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 48 hours: 174 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 24 hours: 31.5 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 29.5 mg/l, Scenedesmus subspicatus

Phenol, styrenated

Acute aquatic toxicity

Acute toxicity - fish	LL ₅₀ , 96 hours: 14.8 mg/l, Fish
------------------------------	--

Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hour: 7.07 mg/l, Fish
Acute toxicity - aquatic plants	LC ₅₀ , 72 hour: 1.25 mg/l, Algae

ARDEX DPM 1 C R Part B

BENZYL ALCOHOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 10 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic invertebrates EC₅₀, 24 hours: 400 mg/l, Daphnia magna

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 24 hours: 222 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic plants LC₅₀, 72 hours: 84 mg/l, Scenedesmus subspicatus

3-AMINOPROPYLDIMETHYLAMINE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 122 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 59.5 mg/l, Daphnia magna

Acute toxicity - aquatic plants LC₅₀, 72 hours: 53.5 mg/l, Scenedesmus subspicatus

12.2. Persistence and degradability

Ecological information on ingredients.

Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

Persistence and degradability No further relevant information available.

12.3. Bioaccumulative potential

Ecological information on ingredients.

Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

Bioaccumulative potential No further relevant information available.

12.4. Mobility in soil

Ecological information on ingredients.

Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Ecological information on ingredients.

Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Ecological information on ingredients.

ARDEX DPM 1 C R Part B

Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	2735
UN No. (IMDG)	2735
UN No. (ICAO)	2735
UN No. (ADN)	2735

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS M-PHENYLENEBIS(METHYLAMINE), 4-TERT-BUTYLPHENOL)
Proper shipping name (IMDG)	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS M-PHENYLENEBIS(METHYLAMINE), 4-TERT-BUTYLPHENOL, Phenol, styrenated, Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine)
Proper shipping name (ICAO)	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS M-PHENYLENEBIS(METHYLAMINE), 4-TERT-BUTYLPHENOL)
Proper shipping name (ADN)	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS M-PHENYLENEBIS(METHYLAMINE), 4-TERT-BUTYLPHENOL)

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C7
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

ARDEX DPM 1 C R Part B

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	3
Issued by	UK Regulatory and Product Compliance Officer
Revision date	07/09/2022
Supersedes date	21/11/2021
SDS number	20393
Hazard statements in full	<p>H226 Flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. H361 Suspected of damaging fertility or the unborn child by inhalation. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.</p>

ARDEX DPM 1 C R Part B

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.